

AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (previously presented) A computer implemented method to provide a home page identifier to a client computing device, the method comprising:
 - receiving, over a computer network, at a redirection web site, a home page request from the client computing device, the home page request including a user identifier that identifies a user of the client device, wherein the redirection web site performs the steps including:
 - obtaining a timestamp identifying a current time and a current day;
 - obtaining one or more network connection identifiers that identify one or more computer networks to which the client computing device is connected from the home page request;
 - retrieving, from a nonvolatile storage device, the home page identifier , wherein the retrieving further comprises:
 - selecting, from the nonvolatile storage device, one or more records that correspond to the user identifier, wherein the nonvolatile storage device includes records for a plurality of user identifiers; and
 - identifying, from the group of selected records, the home page identifier based upon the

obtained timestamp and the obtained network connection identifiers; and
 setting a browser's home page to the retrieved home page identifier, wherein the setting of the browser's home page includes redirecting the browser executing on the client computing device to the retrieved home page identifier.

2. (canceled)
3. (canceled)
4. (canceled)
5. (previously presented) The computer implemented method of claim 1 wherein the obtaining of the timestamp includes retrieving a current timestamp from the home page request, wherein the current timestamp corresponds to the current time and the current day at the client computing device.
6. (canceled)
7. (canceled)
8. (previously presented) An information handling system to provide a home page identifier to a client computing device, the information handling system comprising:
 one or more processors;
 a memory accessible by the processors;
 a nonvolatile storage device;
 one or more network adapters connecting the information handling system to one or more computer networks; and

an home page selection tool for selecting the home page,
the home page selection tool including a plurality of
instructions stored in the memory and executed by at
least one of the processors to perform actions
comprising:

receiving, at one of the network adapters over the
computer network, a home page request from the
client computing device, the home page request
including a user identifier that identifies a
user of the client device, wherein the
information handling system is a redirection web
server that performs the steps including:
obtaining a timestamp identifying a current time
and a current day;

obtaining one or more network connection
identifiers that identify one or more
computer networks to which the client
computing device is connected from the home
page request;

retrieving, from the nonvolatile storage device,
a home page identifier , wherein the
retrieving further comprises:

selecting, from the nonvolatile storage
device, one or more records that
correspond to the user identifier,
wherein the nonvolatile storage device
includes records for a plurality of
user identifiers; and

identifying, from the group of selected records,
the home page identifier based upon the

obtained timestamp and the obtained network connection identifiers; and
 setting a browser's home page to the retrieved home page identifier, wherein the setting of the browser's home page includes redirecting the browser executing on the client computing device to the retrieved home page identifier.

9. (canceled)
10. (canceled)
11. (canceled)
12. (previously presented) The information handling system of claim 8 wherein the step of obtaining the timestamp includes a step of retrieving a current timestamp from the home page request, wherein the current timestamp corresponds to the current time and the current day at the client computing device.
13. (canceled)
14. (currently amended) A computer program product stored on a computer readable medium comprising computer instructions that, when executed by an information handling system, cause the information handling system to perform actions to provide a home page identifier to a client computing device, the actions ~~method~~ comprising:
 receiving, over a computer network, at the information handling system that is a redirection web server, a

home page request from the client computing device,
the home page request including a user identifier that
identifies a user of the client device, wherein the
redirection web site performs the steps including:
obtaining a timestamp identifying a current time and a
current day;
obtaining one or more network connection identifiers that
identify one or more computer networks to which the
client computing device is connected from the home
page request;
retrieving, from a nonvolatile storage device, the home
page identifier , wherein the retrieving further
comprises:
selecting, from the nonvolatile storage device, one or
more records that correspond to the user
identifier, wherein the nonvolatile storage
device includes records for a plurality of user
identifiers; and
identifying, from the group of selected records, the
home page identifier based upon the obtained
timestamp and the obtained network connection
identifiers; and
setting a browser's home page to the retrieved home page
identifier, wherein the setting of the browser's home
page includes redirecting the browser executing on the
client computing device to the retrieved home page
identifier.

15. (canceled)

16. (canceled)
17. (canceled)
18. (previously presented) The computer program product of claim 14 wherein the action of obtaining the timestamp includes an action of retrieving a current timestamp from the home page request, wherein the current timestamp corresponds to the current time and the current day at the client computing device.
19. (canceled)
20. (canceled)
21. (new) The computer implemented method of claim 1 wherein the one or more records that correspond to the user are arranged in a home page table that corresponds to the user, and wherein the retrieving further comprises:
accessing the home page table that corresponds to the user identifier, wherein the home page table includes a plurality of entries, and wherein each entry includes a network identifier field, a day of the week field, a time range field, and an address field;
selecting one of the entries by matching the obtained timestamp with the day of the week field and the time range field and by matching the obtained one or more network connection identifiers with the network identifier field; and
acquiring the identified home page identifier from the address field of the selected entry.

22. (new) The information handling system of claim 8 wherein the one or more records that correspond to the user are arranged in a home page table that corresponds to the user, and wherein the actions that perform the retrieving further comprise:

accessing the home page table that corresponds to the user identifier, wherein the home page table includes a plurality of entries, and wherein each entry includes a network identifier field, a day of the week field, a time range field, and an address field;

selecting one of the entries by matching the obtained timestamp with the day of the week field and the time range field and by matching the obtained one or more network connection identifiers with the network identifier field; and

acquiring the identified home page identifier from the address field of the selected entry.

23. (new) The computer program product of claim 14 wherein the one or more records that correspond to the user are arranged in a home page table that corresponds to the user, and wherein the actions that perform the retrieving further comprise:

accessing the home page table that corresponds to the user identifier, wherein the home page table includes a plurality of entries, and wherein each entry includes a network identifier field, a day of the week field, a time range field, and an address field;

selecting one of the entries by matching the obtained timestamp with the day of the week field and the time

range field and by matching the obtained one or more network connection identifiers with the network identifier field; and
acquiring the identified home page identifier from the address field of the selected entry.